


MET300 GO

FILM DATA SHEET



Physical Description:

3mil GOLD OUT Metalized PET/Poly laminated barrier film

Application:

This GOLD OUT FDA approved film is typically used in the food, medical, and general industrial applications. The metalization of the PET reduces OTR and MVTR to extend shelf life and/or protect the product from environmental factors. The LDPE sealant layer enables this laminated structure to be heat sealable. It is a good cost-effective barrier structure for granola, candy, snack chips, etc that need longer shelf life than typical clear barrier structures.

GOLD OUT: Gold color on the exterior and silver color on interior of film

Converting:

It can be converted in many ways: 2-seal pouch, 3-seal pouch, side gusset, stand up pouch and tubing. Features include: recloseable zipper, tear notch, round hang hole, and sombrero hang hole. The MET300GO can also be surface printed or reverse-trapped printed. It is available in web widths to 60"

Physical Properties:

PROPERTIES	TEST METHOD	UNIT OF MEASURE	TYPICAL VALUE
Caliper		mils	3.0
MVTR	Mocon	gms/100 sq. in./24 hrs	0.032
OTR	ASTM-1434-66	cc/100 sq. in./24 hrs	0.04

The values indicated in this document are the results of tests made in compliance with the normal standards. They are given as an indication and should be considered as average values and given without any obligation on our part. This data was provided directly to us from our film supplier.